INFORMATION REPORT INFORMATION

CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title

	C-O-N-F-I-D-E-N-	L- T- Y- P			
	(1, m)	DEDODT			25 X
COUNTRY	USSR (Moscow Oblast)	DATE DISTR.	9 February 1	959	
SUBJECT	1. Central Automobile Repair Plant in Moscow	NO. PAGES	1		
	2. The ZIL Automobile Plant in Moscow	REFERENCES	,		
		REFERENCES		0574	
DATE OF INFO.				25X1	
PLACE & DATE ACQ.					- 25)
	SOURCE EVALUATIONS ARE DEFINITIVE. APP	RAISAL OF CONTER	NT IS TENTATIVE.		
	Attachment 1 is a report including de	tailed informa	ation and sketch	nes of the	
	Attachment l is a report including de Central Automobile Repair Plant in Mo	etailed informa scow.	ation and sketch	nes of the	
	Attachment 1 is a report including de Central Automobile Repair Plant in Mc Attachment 2 general and specific information cond Moscow. A plant layout sketch is als	erning the ZI			
	Central Automobile Repair Plant in Mc Attachment 2 general and specific information cond	erning the ZI			2
	Central Automobile Repair Plant in Mc Attachment 2 general and specific information cond	erning the ZI			2
	Central Automobile Repair Plant in Mc Attachment 2 general and specific information cond	erning the ZI			25

ORRIEY X 15FB1 X NAVY XAIR X ARMY STATE (Note: Washington distribution indicated by "X"; Field distribution by "#".)

1.	e n c n n		
ر ا	SECRET		
UNTRY: USSR	TONFINENTIAL		
BJECT: ZIL AUTOL	MOBILE PLANT	•	
			25)
į	Plant (case called Stalin and arskiy rayon, on a sort of peni	•	
n Moscow, Prolets	Plant (case called Stalin and arrakiy rayon, on a sort of peni	•	o
n Moscow, Proleta Mosku he Moscova river	Plant (cose called Stalin and arrakiy rayon, on a sort of peni	nsula which jutted out into	o . ·
n Moscow, Proleta Mosku he Moscova river	Plant (case called Stalin and arrakiy rayon, on a sort of peni	nsula which jutted out into	o . ·
Mosev, Proleta Mosev he Moscova river	Plant (cose called Stalin and arrakiy rayon, on a sort of peni	nsula which jutted out into	o . ·
n Moscow, Proleta Moscova river of reference was to	Plant (cose called Stalin and arskiy rayon, on a sort of peni and northwest of the Stalinskiy subway station, and stalinskiy subway station.	nsula which jutted out into	o . ·
n Moscow, Proleta Moscova river of reference was to all from the plan	Plant (cose called Stalin and arskiy rayon, on a sort of peni and northwest of the Stalinskiy subway station, and main gate. It was suborated asport?	nsula which jutted out into diver southern port. Point located a kilometer and a linate to the Ministry of	o . ·
n Moscow, Proleta Moscova river of reference was to salf from the plan Automobiles.	Plant (cose called Stalin and arskiy rayon, on a sort of peni and northwest of the Stalinskiy subway station, and stalinskiy subway station.	nsula which jutted out into diver southern port. Point located a kilometer and a linate to the Ministry of	o . ·
n Moscow, Proleta Moscova river of reference was to all from the plan automobiles.	Plant (cose called Stalin and arskiy rayon, on a sort of peni and northwest of the Stalinskiy subway station, and main gate. It was suborated asport?	nsula which jutted out into diver southern port. Point located a kilometer and a inate to the Ministry of dings and shops were more	o . ·
Moskuthe Moscova river of reference was that from the plantation object.	Plant (cose called Stalin and arskiy rayon, on a sort of peni and northwest of the Stalinskiy subway station, at a main gate. It was suborated to be circular; some of its buildes. It was analoged by a 4-meters	nsula which jutted out into diver southern port. Point located a kilometer and a inate to the Ministry of dings and shops were more er high 5-kilometer peri-	o . ·
Moseva Proleta Moseva river of reference was to salf from the plan sutomobiles. The area was almost and the modern than others meter wall and has	Plant (cose called Stalin and arskiy rayon, on a sort of pening and northwest of the covariant stalinskiy subway station, and a sport of the Stalinskiy subway station, and a sport of the suboration of the subor	nsula which jutted out into liver southern port. Point located a kilometer and a inate to the Ministry of ings and shops were more or high 5-kilometer perithe railroad; the main	o . ·
Moseva Proleta Moseva river of reference was to salf from the plan sutomobiles. The area was almost and the modern than others meter wall and has	Plant (see called Stalin and arskiy rayon, on a sort of peni and northwest of stalinskiy subway station, and smain gate. It was suborated to circular; some of its buildes. It was enclosed by a 4-meted three entrances plus one for	nsula which jutted out into liver southern port. Point located a kilometer and a inate to the Ministry of ings and shops were more or high 5-kilometer perithe railroad; the main	o . ·
Moseva Proleta Moseva river of reference was to salf from the plan sutomobiles. The area was almost and the modern than others meter wall and has	Plant (cose called Stalin and arskiy rayon, on a sort of pening and northwest of the Stalinskiy subway station, and a sport of the Stalinskiy subway station, and a sport of the Stalinskiy subway station, and the stalinskiy subway station, and the stalinskiy subway station of its builders. It was enclosed by a 4-met of three entrances plus one for rate bway station, another was for	nsula which jutted out into liver southern port. Point located a kilometer and a inate to the Ministry of ings and shops were more or high 5-kilometer perithe railroad; the main	o . ·
m Moscow, Proleta Moscowa river of reference was to all from the plan automobiles. Trace the area was almost modern than other meter wall and has a faced the su	Plant (cose called Stalin and arskiy rayon, on a sort of pening and northwest of the Stalinskiy subway station, and a sport of the Stalinskiy subway station, and a sport of the Stalinskiy subway station, and the stalinskiy subway station, and the stalinskiy subway station of its builders. It was enclosed by a 4-met of three entrances plus one for rate bway station, another was for	nsula which jutted out into liver southern port. Point located a kilometer and a inate to the Ministry of ings and shops were more or high 5-kilometer perithe railroad; the main	o . ·

Sanitized Copy	Approved for Release 2010/06/		46A046800320001-7	
		CONFID	FNTIAI	
small	1500 kilogram trucks, bic	— — —		
grey 7 to 8 X 2a m	eter 2500 kilogram amphib	ious vehicles dri	wan hu nana	25X1
			even by prope-	25 X 1
llers were made he:	re. All of these were sta	amped ZIL (1).		
Another shop manufa	actured an unidentified pr	roduct which was	carried away	25X1
in tightly closed	boxes; it was heavily guar	nded by solddens	and	
	TONOLY IN HOLD HOLVILLY EURI	raca of motorals	and no one	
was permitted to en	nter.			
BUILDINGS AND THEIR	R ACTIVITIES			
Some of the shop by	uildings had underground i	matallationa	1	
		TIP OCTIO OTOTIS •	I	
	there were approximately	50 buildings		25X1
Final Accembly	Shop Building Nº 1 It	tumad aut abai		
Tompada Leis	bito, building it 1.	turned out abou	t 30 three—ton	
trucks a day.	Approximately 1200 perso	ns worked here.		
Motor Construc	otion Shop Building Nº 2	_	This was a	25 X 1
ACC Landon Long	hr 30 metan i ich tur at-		3	
l long	by 30-meter high two-sto	ry brick stuccoed	1 structure	
that had a tar	-cinder roof and a baseme	nt. In 1954 par	t of the roof	
caught fire.		•	1	
Each day				
pro made op dii	ferent types of heavy oil	engines used in	six-cylinder	
50 horsepover	three-ton trucks. 44447443	7		
Most of the ma	chinery was automatic made	e in Germany	It	25X1
had 1200 months				
nam 1200 verti	cal and horizontal lathes	most of them we	eighed ten	
tons and the r	est two or three tons. The	his machinery fre	equently	
broke down bec	ause it was old and parts	often were defec	tive and had	
•				25X1
to be done over	CONFIDEN	ΙΤΙΔΙ		
The engines we	re taken to Assembly Shop		ere tney were	_

	izea Copy Approve	d for Release 2010/06		
	•		Exer por	
•	. + 00 1	. C	ONFIDENTIAL	
Ĭ	enstalled u	rucks.		25)
	The form above head 2	200	man al-Leba managana 22 an	
'2	nis suop nea 1	.200 persons on th	ree shifts. They were allowed	i wide
1	tolerance range	8.		• •
7	Indenomound in	tollotions were h	afor areas and a second	
•	ourer & Louise Tile	CETTECTOUR Mete	eing constructed here.	
<u> </u>	Casting Shop Bu	ilding - It cast	iron and other metals.	
 1	Bicycle Shop Bu	ilding		
	20,020 200 20			
. 5	Secret Sections	•	the amphibious vehicle	s were 2
	nade here.)			
ŗ	man norte,			
RAW M	"ERIALS			
m :]			n, steel, copper, lead, alumin	1.
The Pi	rant mage wrong	nt iron, cast iro	n. steel. couper. lead. alumix	ימונר 📆 דווור 📆
				, p.z,
nickel	l, plastic, coa	l, coke, mineral	oil, whose, gasoline, brick, ce	
			oil, whose, gasoline, brick, ce	ement,
				ement,
plaste	er, water, and	gas which were br	oil, whose, gasoline, brick, ce	ement,
plaste	or, water, and	gas which were br	oil, whose, gasoline, brick, coought by truck, railroad, and y, the majority at night.	ement,
plaste	or, water, and	gas which were br	oil, whee, gasoline, brick, cooght by truck, railroad, and	ement,
plaste	or, water, and	gas which were br	oil, whose, gasoline, brick, coought by truck, railroad, and y, the majority at night.	ement,
About	or, water, and 40 or 90 truck	gas which were br s came in each da the copper cable	oil, word, gasoline, brick, coordine, br	water. Poland
About	or, water, and 40 or 90 truck	gas which were br s came in each da the copper cable	oil, whose, gasoline, brick, coought by truck, railroad, and y, the majority at night.	water. Poland
About	40 or 50 truck secho-Slovakia.	gas which were br s came in each da the copper cable	oil, word, gasoline, brick, coordine, br	water. Poland
About About Logs, brough	40 or 50 truck 20 do 50 truck	gas which were br s came in each da the copper cable	oil, word, gasoline, brick, coought by truck, railroad, and y, the majority at night. and aluminum imported from lastic used for refrigerators	water. Poland
About About Logs, brough	40 or 50 truck secho-Slovakia.	gas which were br s came in each da the copper cable	oil, word, gasoline, brick, coought by truck, railroad, and y, the majority at night. and aluminum imported from lastic used for refrigerators	water. Poland
About About Logs, brough	40 or 50 truck cecho-Slovakia. boards, alumin t in by train	gas which were br s came in each da the copper cable um, copper, and p	oil, word, gasoline, brick, coought by truck, railroad, and y, the majority at night. and aluminum imported from lastic used for refrigerators	water. Poland 25
About About Logs, brough WATER	40 or 50 truck 20 truck 20 cho-Slovakia. 20 boards, alumin 21 in by train SUPPLY Shop bui	gas which were brest scame in each dather copper cable um, copper, and pand coal, stone,	oil, word, gasoline, brick, coought by truck, railroad, and y, the majority at night. and aluminum imported from lastic used for refrigerators plaster, and bricks by water.	water. Poland Water 25
About About Logs, brough WATER	40 or 50 truck 20 truck 20 cho-Slovakia. 20 boards, alumin 21 in by train SUPPLY Shop bui	gas which were brest scame in each dather copper cable um, copper, and pand coal, stone,	oil, voca, gasoline, brick, ce ought by truck, railroad, and y, the majority at night. and aluminum imported from lastic used for refrigerators plaster, and bricks by water.	water. Poland Water 25
About About And Cz Logs, brough WATER In	40 or 50 truck 200 coho-Slovakia. boards, alumin at in by train SUPPLY shop bui	gas which were bresches came in each dathe copper cable um, copper, and pand coal, stone,	oil, voce, gasoline, brick, coought by truck, railroad, and y, the majority at night. and aluminum imported from lastic used for refrigerators plaster, and bricks by water. tank and three or four pumps.	water. Poland Water 25
About About And Cz Logs, brough WATER In	40 or 50 truck 200 coho-Slovakia. boards, alumin at in by train SUPPLY shop bui	gas which were bresches came in each dathe copper cable um, copper, and pand coal, stone,	oil, word, gasoline, brick, coought by truck, railroad, and y, the majority at night. and aluminum imported from lastic used for refrigerators plaster, and bricks by water.	water. Poland Water 25
About About And Cz Logs, brough WATER In was pu	40 or 50 truck 200 coho-Slovakia. boards, alumin at in by train SUPPLY shop bui	gas which were bresches came in each dathe copper cable um, copper, and pand coal, stone,	oil, voce, gasoline, brick, coought by truck, railroad, and y, the majority at night. and aluminum imported from lastic used for refrigerators plaster, and bricks by water. tank and three or four pumps.	water. Poland Water 25
About About And Cz Logs, brough WATER In was pu	40 or 50 truck 200 tr	gas which were bresches came in each dathe copper cable um, copper, and pand coal, stone, and pand coal, stone, and by a system of the copper was a like underground of the copper cable.	oil, voce, gasoline, brick, coought by truck, railroad, and y, the majority at night. and aluminum imported from lastic used for refrigerators plaster, and bricks by water. tank and three or four pumps.	water. Poland Water 25

Sanitized Copy Approved for Release 2010/06	/29 : CIA-RDP80T00246A046800320001-7
(4)	CONFIDENTIAL
transformers were located throughout the	/DX1
Fleedgates of the so-called "Moscow Canal" on the river south of the plant; barges by	
PACKING	- The same of the
In Shop Nº 2, motors ready for shipment wer	re wrapped in heavy yellow greased
paper, cushioned with straw, and packed in	wooden crates. These were stamped
ZIL and something else	25X1
TRANSPORTATION	
Railroad - A double-track siding entered	the premises on the southwest
and branched off to the different shops who	ere materials were ffloaded from
the platforms onto railroad cars. Most of	the cars and small steam loco-
motives were old. However, the hore modern	n ones were made of metal,
weighed 50 to 60 tons, and had four axles.	Some of the electric cranes,
which moved along the track, weighed 15 tor	25X1
Seventy	y-five percent of the products 25X1
were shipped by rail; in-coming products we	ere usually handled by barge
since a greater amount could be brought in	this way.
Roads The Plant used the 25-meter wide I	Leningradskiy road; the road bed
was nade of stone and sand covered with a l	Layer of tar. It needed to be re-
paired often because traffic was heavy and	it was not well cared for. It
was always open to traffic. The garages ar	nd shopswere adequate enough to
service the plant's 70 trucks. Vehicles un	nloaded between 0800 and 1800
and transported one percent less (i.e. lath	nes, parts. and bronze) than 25X1

25X1

CONFIDENTIAL

trains and barges.

10-ton electric travelling crane.

Water.— The Plant had a small 30 X 15-meter inner harbor with wooden docks
(into which only one barge fitted; others had to line up and wait their turn
outside) located near the bridge at the plant's entrance. The river at this
point was 60 or 70 meters wide and five or six meters deep. They used a

Forty or fifty-ton 25 X 7 or 8 X 32-meter black wooden barges with a 22-meter draft were towed at 10 kilometers per hour by small steam sidewheelers. Four or five arrived or left each day; a man (or woman) took care of the two line.

They carried stone, cement sacks, plaster, plastic glass, wood, coal, brick, sand, and tiles. Seventy percent of construction materials were brought by water. Six floodgates canal were located eight kilometers south of the plant.

STORACE

An open-air dump, which stored regular and plastic glass, wood, lathes, motors, aluminum, bronze, steel, 50 or 60 tons of cement and plaster, coal, steel ingots, bricks, and sand under distribute or in sheds, was located near the river and the port. Next to the dump were warehouses (the larger ones measured 50 x 20 x 3 or 4-meters). Cans of heavy oil and metal boxes of grease were also stored here. Loading and unloading platforms, cranes, and cars on railroad sidings were located in this storage area.

Smoking or lighting fires was not permitted near areas where inflamable

CONFIDENTIAL

materials were stored. There were hydrants, extinguishers, and sand boxes

	Sanitized Copy Approved for Release 2010/06/29 : CIA-RDP80T00246A046800320001-7	25 X 1
٠	(6)	
	CONFIDENTIAL	
		25X1
	in the shop buildings and other plant areas.	
	PRODUCTION LINE	
		25 X 1
•	\$156457517545171164 iron castings were shaped into	20,71
	cylinders, axles, crankshafts, tie rods, rods, pistons, transmission	
	gear boxes, compressor valves, and pumps. These parts were moved along	
,	on tracks to each of the 200 operators on the line in turn, painted, and	
	picked up by hooks which deposited them on one side of the shop for test-	
	ing. From there they were sent either to the Assembly Shop Building for	
	trucks or crated to be shipped out.	
	PRODUCTION	
	The production norm was 65 motors a day; however, approximately 70 and	
*		
	possibly 80 could be manufactured if a great effort was made. Produc-	
	tion decreased in summer. The norm set for Shop Building Nº 2 was	
	considered excessive.	
_	WORKING CONDITIONS	
	According to law, the plant supposedly had a 44-hour work week; however,	
	they worked at least 14 hours and sometimes more on Saturdays. There	
	were 400 workers on each of the three eight-hour shifts; they had 15	
	minutes off for lunch and 20 minutes for dinner. Fifteen-day annual	
	vacations were granted at the discretion of the bosses.	25 X
* m		25 X
	Shop Building Nº 2 did not have sufficient ventilation;	∠U ∧
	potal particles floated through the air. In summer was quite warm	


Sanitized Copy Approved for Release 2010/06/29: CIA-RDP80T00246A046800320001-7 25X1 PONTIDENTIAL YTTY 25X1 Ave hundred secret police (men and women), armed with guns and pistols, were stationed on three shifts in some shops, at the two entrances, and inside and outside the premises. However, the system was not very rigid. Workers had to present a propusk (with fotograph, name, shop number, and a red stripe) on entering the premises and a card with number and mame, which was punched by a time clock, on entering and leaving the shops. Workers were not allowed in shops other than their own unless they had a good reason. The plant also had three fire engines and eighty firemen who lived in a building located next to the main gate. There were shelters, gas masks, 25X1 and special rubber suits; the installation could be blacked out by a master switch which was located in the administration building. ORGANIZATION AND PERSONNEL 25X1 plant had approximatel; 17,000 employees; A woman was in charge of control and a testing section was located at the end of the assembly line. Shop building Nº 2 was organized as follows: 1 Shop Chief 1 Qualified Assistant Chief 25X1 Qualified Master Technologists CONFIDENTIAL 4 Master Fitters


				CONFIDENTIAL	2
1	Mechan	nical Engineer	(who checked mach		
w.	orkers				
		names of the	following Soviet	personnel:	25
Lijach	Plan	nt Director			
					25
Dimitro	V. Chie:	f of Shop Nº 2	Mechanical Eng	ineer,	
			·		
Abbaham	Tfnemov	rdob Apprint	+ O: 0 0 0 0		
Abraham	Ifremov	710h, Ass istan	t Chief of Shop No	2	
Abraham	Ifremov	/10h, Ass istan	t Chief of Shop Nº	2	
Abraham	Ifremov	710h, Ass istan	t Chief of Shop Nº	2	
				2	
		Control Super		2	
				2	
				2	
				2	
				2	
		Control Super	visor		
	kulova,	Control Super	visor ssian prisoners wo	rked at the plant	
	kulova,	Control Super	visor ssian prisoners wo	rked at the plant on, stone, and shavings	
Nina Mer	kulova,	about 600 Run	visor ssian prisoners wo	rked at the plant on, stone, and shavings	
Nine Mer	The superv	about 600 Rus	ssian prisoners wo	rked at the plant on, stone, and shavings d in closed trucks.	
Wina Mer	fulova,	about 600 Runney loaded and vision of guard	visor ssian prisoners wo imloaded scrap ir	rked at the plant on, stone, and shavings if in closed trucks.	
Wine Mer	fulova,	about 600 Runney loaded and vision of guard	visor ssian prisoners wo imloaded scrap ir	rked at the plant on, stone, and shavings d in closed trucks.	25X


Sanitized Copy Approved for Release 2010/06/29 : CIA-RDP80T00246A046800320001-7	
<u>^</u>	25X1
There were no strikes. Workers complained about low wages or being paid	
late when the plant did not have sufficient funds.	
Priviledges were given to Party members and the sond or relatives of the	
bosses. There were few absences; however, workers were fired if it re-	
curred frequently.	
DEFICIENCIES, BEPROVEMENTS, AND PROMOTION OF PRODUCTION	
Norms were raised to increase production and essembly lines were being	
automatized. Mechanical problems were solved by installing new modern	
machinery. Equipment was not well cared for since there was no time and	
work could not be stopped. There was a high percentage of defective parts.	
number and quantities were falsi-	25 X 1
fied on the records until they produced enough to cover difficits.	
the production norm on engines was to be decreased	25X1
since this type of work was very strenuous. it would take 15	25X1
days to convert the plant to wartime use and the chiefs had already	
received instructions on what to de in such a case.	
AUTOMATION	
mechanical automation was used in all the shops	25 X 1

CONFIDENTIAL

25X1







C-O-N-F-I-D-E-N-T-I-A-L

. 2 -

25X1

THE CENTRAL AUTOMOBILE REPAIR PLANT IN MOSCOW

-denaral

1. Central Automobile Repair Flant (Thentralnyy Afterementary Zavod),
Secuted on Tankovyy Proyezd in the Pervennyskiy rayon of Moscow, was
subjectionate to the Ministry of Automobile Transport. (See overlay of
Moscow city plan
on which the plant was located.)

25X1

Flant Buildings and Functions

She margin numbers in parentheses rafer to the attaches essaid of shetch of the plant legent. Until 1948-1949, there was only a single repair shop called the "General Repair Shop", which was in the area now occupied by the shop building (See (14) through (21) below), with very few auxiliary shops. From this time on, other shops were constructed, enlarged and appropriately equipped to become the present "Gentral Automobile Repair Flant". Home of the plant buildings contained becoments. There was no room for further expansion as the area around the plant was fully built-up. The buildings were described as follows:

25X1 25X1

- (1) Entrance to the plant from Tankovyy Proyezd.
- (2) Office building. This was a two-story brick building, approximately 40 x 60 meters, and readed with sheet metal. There was only one outside entrance, so that the offices were almost completely separated from the plant itself, except for a small c door from the first-aid ream to the plant grounds. The arrangement of these offices is shown on shetches Nes. 5 and 6 on pages 12 and 12.7
- Paint shop No. 1. This was a sheet-metal roafed, brick 40 x 90motor structure. The subshobile were painted here when the repairs were completed. Paint was applied with spray guns.
- (4) Paint shop No. 2. The characteristics and function of this shop were the same as those of Paint Shop No. 1. The automobile were shored in these shops until they were shipped from the plant.
- (7) Masst-metal Starage Shelter. This 50 x 60-meter shelter consisted of a ter-impregnated canvas canopy, supported by wooden posts this protecting the iron and sheet-metal stock from the rain.
- (6) Automobile Parking Lot. This was a large, open 40 x 100-mater area surrounded by a three mater high wooden fence. From 100 to 150 automobiles to be repaired were parked here.
- (7) Living Quarters. This was a three-story building, measuring 20 x 50 meters, which furnished living quarters for some of the plant workers. It had access to the plant area and to the street.

C-O-N-F-I-D-E-N-T-I-A-L

C-O-N-F-I-D-E-N-T-I-A-L

(8)

Carpentry Shop. This was a sheet-metal roofed, brick structure which measured 45 x 150 meters in area. She truck bedy work was accomplished here. machines in this shop were of Sovietmake except for

maly 15 percent which were of German-

25X1

25X1

(9) Rubber Goods Warehouse. This small, brick building with a sheet-metal roof measured 20 x 40 meters. Tires and spare rubber parts were stored here.

ske. Se sketch Se. 7 on page 14.

- Herekouse. This was a 20 x 10-motor, structure. The following supplies were stored here: electrodes, of inder blocks, cylinder blocks, cylinder blocks, natis, uphelstery material, everalis, light (10)bulls and a large number of small parts.
- (11) Grage. From six to eight trucks and three automobiles were hept here.
- Breakforn and Assembly Section and Electrical Parts Repair Shap. (15) This was a specious, brick, sheet-metal roofed structure wi measured 35 x 170 meters and was constructed without intermediate columns. In the breakform and assembly shop, some 100 workers disassembled the automobiles which were brought in for repair, replaced the necessary parts, and reassembled them. The auto-mobiles were brought in on a resp and disassembled piece by piece. These pieces were pickled in a light of caustic seds and water and headed by a steam coil. The piaces were then subserged in clean water. There was no machinery in this shap, either than a few cranes, winches, and metal cutters. This shop had an appear story constructed on each of the two wings each of which sured 10 x 10 meters. One of these was the shop chief's office and the other was the reception office. (See sketch No. 3 of this building on page 16. The Electrical Parts Repair They was concerned with all types of automotive-electric remains, and employed some forty workers.

25X1

- (13) Transfermer Section. This building measured 20 x 30 meters and contained two transformers, only one of which was in operation; s other passibly being poserved for emergencies. Eight to ten workers were employed here, but it was off limits to the other plant weskers for reasons of their safety. Electrical power was transfermed here and distributed to the various plant shops.
- (14) through (21) The following shops were located in this 40 x 180-meter structure which had a concrete reef covered with terred canyas.
- (14) Roal Repair Shop. This 40 x 180-mater section, in addition to tool repair work, also die-stamped parts for the automobiles. in upper floor had been added to accommodate the machinists. s lower floor contained the machines most of which were of Soviet-make except for one or two of German origin. The machines in this shop were eld but in good operating condition. About 40 workers were employed here.
- (15) Machine Maintenance Shep. This section was in charge of the maintenance of all plant machinery. Almost all of the forty workers acted as a mobile maintenance crew and repaired the machinery throughout the plant. The location of the machinery in this shop is shown on sketch No. 2 on page 16./3

C-O-N-F-I-D-E-N-T-I-A-L

25X1

C-O-N-F-I-D-E-N-T-I-A-L

(16) Recenditioning Shop. This small 8 x 20 meter shop was dedicated to the recenditioning of used automobile parts thus obviating the necessity of manufacturing or replacing new parts. Such work as straightening bent parts, and renewing spent springs was

(17) Washrooms. 256 Washrooms, shewers, and cleakrooms were located here. An upper story had been erected and was used as an upholstery shap.

accomplished here.

- (18) Sheet Metal Shep. This shep measured 40 x 40 meters and employed approximately 30 workers. The distribution of the machinery in this shep is shown on sketch No. 10, page 3g.21
- (19) Mickling Shop. The finished pieces sent from the sheet-metal shop were placed in a constite seda bath in this shop in order to remove the grease and foreign matter. They were then placed on work tables for re-finishing.
- (20) Paint Shop. In this small shop, the pieces received from the pickling shop above were given their first coat of paint.
- (21) Body Shop. We body parts made in the carpents shop were received here and mounted, thus completing the repair of the automobile or truck except for painting. (See sketch No. 9 of this shop on page 16.20
- (22) Meter Repair Shop. The automobile meters were removed from the vehicles in the breakform and assembly section and sent from there to the meter repair shop. In this 32 x 32 meter shop, some sixty verticers completely disassembled the motors, replacing all vern parts. (See sketch No. 8 of this shop, page 19.
- (23) Machine Shap. The machine shop manufactured parts such as mutabelts, washers, and axies which were needed in automobile repair work. All major parts such as blocks, cylinder heads and crankshafts were supplied from outside the plant.
- (24) Galvanizing and Hickel-Flating Shop. The arrangement of this shop is shown on sketch Ho. 1, page 25./2
- (25) Forge. The forge was a small shop measuring 15 x 20 meters, with some fifteen verticers, where, in addition to the fore, there were several eil-burning and electric furnaces used for tempering and welding. Here, large belts were made, blocks welded and parts were tempered. (See sketch He. 4 of this shop, page 55.
 - (26) Lumber Yard. The lumber yard was a large unenclosed space where the lumber supplies were stored. Logs were delivered by rail to the unleading platform, where they were cut into planks with a mechanical saw, and then taken to the lumber yard for storage.
 - (27) Unloading platform. (Mentioned above in (26)).
 - (28) Gesoline Dump. The gasoline dump was an open area with two gasoline pumps and oil and grease cans for plant use.
 - (29) Heating Flant. The heating plant was located in a sheet-metal roofed, brick building which measured 20 x 20 meters. Three coal-burning boilers sugglied steam for heating the entire plant,

C-O-N-F-I-D-E-N-T-I-A-L

	- 5 -
	as well as motive force for the steam-operated machinery. Two of the boilers were constantly in operation, while the third was possibly for emergencies.
(30),	and (39) through (43) were located in a fire-resistant, two-story brick building which measured 30 x 80 meters. Workers living quarters located on the second floor, and the various rooms in the club on the first floor are described below in numerical order.
(30)	One section of first floor of club.
(31)	Large sports field.
(32)	Coal and Scrap Dump. This open area was utilized for the storage of coal and scrap iron.
(33)	Railread siding entrance.
(34)	Railroad siding.
(35)	Public street with entrance to living quarters (7).
(36)	Public plaza.
(37)	Nearby houses.
(38)	Wooden fence which surrounded the plant.
(39)	Club stage.
(40)	Club living room.
41)	Club hall.
42)	Club dining room.
43)	Club kitchens.
44)	Bathroems and dressing rooms.
45)	Flant street.
lant :	Machinery
	percent of the plant machinery was of Seviet-make and ten percent
	German make.
	Punctions
ame o: lmost ects.	ent was devoted solely to the repair of civilian automobiles and trucks. It the automobiles to be repaired were so seriously damaged as to need all of the essential parts replaced, while others had only slight delike tractors, caterpillars, tanks, nor any vehicle that could possibly saified as military were ever repaired here.
	There were no secret sections in the plant.

25X1

25X1

	C-O-N-F-I-D-E-N-T-I-A-L	
		25X
	- 6 - .	
	Rew Neterials (7)	
5.	The raw materials used at the plant were metal, rods, weed, a small	
	quantity of leather and canvas for unholstery, and in general any material	
	that might be used in automobile repairs. Coal and fuel-oil were employed, but not in large quantities. Coal was used for heating and for the forge	
	and the fuel-oil for the tempering furnaces.	25 X 1
		20/(1
	Water and Electric Power Supply	
6.		
	its own. Electricity was supplied from a Moscow Electric Center transformed at the plant and distributed to the various plant shops.	05V4
	the voltage was 220 and pow	25X1 Per
	failures were very rare. Other than the spare transformer in the electrical center, there were no emergency installations.	25X1
	certer, frate sets no smalfench tracerrations.	
	Railroad Transportation	
7.	There was, only one standard Seviet-gauge railroad siding entering the plant	
	(See guaral abotton or chand); this was connected to the Moscow railway	
	system the Serp I Molot plant. Also, there was only a single loading and unloading platform (27), but these facilities appeared sufficient and they	
	had not been enlarged. The plant had no rolling stock of its own, utilizing	}
	only the normal freight cars from the surrounding region.	25X
	weeks, two or three trains of forty to fifty cars would enter the plant,	•
	while, on the other hand, two or three weeks might pass without a train.	
	At these times, there remained, however, sufficient work for the plant because many of the automobiles entered by road transport	
	Finished cars were	25X
	skipped by train or truck depending on the distance involved.	
	Highway Transportation	25X1
8.	The plant was entered by a short, paved all-weather street, five to seven	
	meters wide, and in good condition, which led from Tankevyy Preyezd. The	
	plant itself had six to eight three-ten trucks which were housed in the plant garage (11). Small electric trucks were used for transporting	
	materials within the plant.	25X
	Working Cenditions	
9.	The employees of the plant worked eight-hour shifts earned 1200	25X1
	rubles a month. Each worker had 12 days of annual leave or 15 days, if he	20/(1
	had worked at the plant for more than two years. He was entitled to select his own vacation period, but this was almost never possible since everyone	
	chose summer. Instead, vacations were distributed so as not to interfer	
	with the work of the plant. The vacations were usually spent in a rest comp	ı
	of the Ministery of Automobile Transport. The medical services was confined to a first aid room attended by a physicism one to two hours daily, and by a	•
	murse the rest of the time. At certain times, vaccinations and injections	l .
	were required as protection against disease. The werkers were constantly	
	encouraged to have their X-rays taken at the district clinic.	

C-O-N-F-I-D-E-N-T-I-A-L

		- 7 -	
	Sec	writy	
	The two ships to ship the	inst theft. The plant was surrounded by a wooden wall some three meters a with several gates large enough to admit only one person at a time. Plant guards made up a small force of only six to eight persons, erally of slight build, unarmed and without special uniforms. There were guards at the main gate and three or four others charged with the care of fire extinguishing equipment that was placed strategically around the nt, and with maintaining a watch to prevent fire. A propusk was required enter the plant but this was not rigorously enforced. Known workers were a to enter the plant without showing it. Strangers needed permission of head guard to enter, but this was obtained without great difficulty, and hout overly limiting the time that one was allowed to remain on the pre-	
	mis cal	es. Workers had free access to all the plant area except for the electricenter for reasons of personal safety. The only limitation on their essent was that they attend properly to their jeb.	
	<u> Air</u>	Raid Precautions	
		no existing precautions against air attack. In the ten years only once had the workers been called together in	
	the had	club room to attend a lecture on the air defense of the plant, but there never been any defense drills.	
:.	Per	Sonnel Organization	
2.	The	organization of personnel of the plant is indicated on chart on page 22	
	wor.	re were from 800 to 1000 workers, almost all of them specialists. Only at 5% were unskilled laborers. Because of the relatively small number of ters in the shops, there was only one shop superintendent. the fellowing members of the managerial staff:	2
	wor.	ut 5% were unskilled laborers. Because of the relatively small number of the shops, there was only one shop superintendent.	2
	abor Wor:	at 5% were unskilled laborers. Because of the relatively small number of ters in the shops, there was only one shop superintendent. the following members of the managerial staff:	\neg
	abor Wor:	to 5% were unskilled laborers. Because of the relatively small number of ters in the shops, there was only one shop superintendent. the following members of the managerial staff: Nikelaev (FNU). Plant director.	\neg
	abor wor: a. b.	Sungurov (FNU). Production Engineer. Novikov (FNU). Superintendent of supply.	\neg
	abor wor: a. b.	at 5% were unskilled laborers. Because of the relatively small number of ters in the shops, there was only one shop superintendent. the fellowing members of the managerial staff: Nikelasv (FNU). Plant director. Sungarov (FNU). Production Engineer.	\neg
	abor wor: a. b.	Sungurov (FNU). Production Engineer. Novikov (FNU). Superintendent of supply.	\neg
	abor wor: a. b.	Sungurov (FNU). Production Engineer. Novikov (FNU). Superintendent of supply.	\neg
	abor wor: a. b.	Sungurov (FNU). Production Engineer. Novikov (FNU). Superintendent of supply.	\neg
	abor wor: a. b.	to the shops, there was only one shop superintendent. the fellowing members of the managerial staff: Rikalaev (FNU). Plant director. Sungarov (FNU). Production Engineer. Novikov (FNU). Superintendent of supply. Rukin (FNU). Foreman of the moter repair shop.	\neg
	abor wor: a. b.	Sungurov (FNU). Production Engineer. Novikov (FNU). Superintendent of supply.	\neg
	abor wor: a. b.	to the shops, there was only one shop superintendent. the fellowing members of the managerial staff: Rikalaev (FNU). Plant director. Sungarov (FNU). Production Engineer. Novikov (FNU). Superintendent of supply. Rukin (FNU). Foreman of the moter repair shop.	\neg

-7-

C-O-N-F-I-D-E-N-T-I-A-L 25X1 - 8 -25X1 Legend to Sketch No. 5 on page 12. Offices, lower floor 1. Street entrance 2. Entrance hall 3. Supply office 4. First aid station (3 rooms) 5. Receiving offices for automobiles brought in for repair6. Shipping control office 7. Cashier 8. Telephone center 9. Office of the Chief of Supply 10. Supply office 11. Personnel office 12. Heating plant 13. Accounting office 14. Passageway 15. Entrance to plant 16. Toilets, washroom Sketch No. 6 on page 3. 25X1 Legend to Offices, second floor 1. Stairway 2. Hall 3. Secretaries 4. Production office 5. Chief of production 6. Toilets, washrooms 7. Corridor 8. Draftsmen 9. Union secretary 10. Party secretary 11. Chief engineer 12. Director 13. Food supply chief 14. Secretary of the director and food supply chief

C-O-N-F-I-D-E-N-T-I-A-I

Vertical planer
 Lathes

3. Drilling machines

4. Milling machines

5. Horizontal planers

6. Finishing benches

7. Press

8. Office

C-O-N-F-I-D-E-N-T-I-A-L

			C-O-N-F-I-D-E	-N-T-I-A-L	!	2	25X1
			- 10) •••	Calculation of the Calculation o		
	_	end to	Shetch No. 10 o	n page ¥.		2	25 X 1
10	4. 5. 6. 7. 8. 9.	Large cutter Mechanical bender Press Double-headed mechanic Autogenous welding app Hand bending machine Tables Electric welding appar Small cutter Outside entrance Entrance to body shop	paratus				
H		end to y Shop, Faint Snop, and	Sketch No. 9 or Pickling Shop	n page 🞉.		2	25 X 1
/	3. 4.	Storage Drilling machines First-coat paint secti Pickling baths Water baths Entrances	on				
		end to or Repair Shop	Sketch No. 8 or	n page 19.		2	25X1
*	2. 3. 4. 5. 6. 7.	Disassembly bench Pickling bath Crankshaft grinder Lathe Cylinder grinder Testing machines Finishers bench Entrances Pure water bath					
1		end to vanizing and Nickel Pla	Sketch No. 1 or	page 20.		2	25 X 1
1	5.	Galvanizing baths Clean water baths Direct current convert Air compressors for pa Ventilators Cleaning room for galv Laboratory Precision control inst Entrance	int shop	5. Large m 6. Electri 7. Small m 8. Coal fu 9. Cutter 10. Press	mace mace spering bath sechanical hamm c furnaces sechanical hamm rnaces		X 1
			C-O-N-F-I-D-E	-N-T-I-A-L		25	5 X 1


- 10 -

25X1 C-O-N-F-I-D-E-N-T-I-A-1 - 11 -


Overlay of Plan of Moscow


25X1

- 1. Central Automobile Repair Plant
- 2. Large Bakery
 3. Serp I Molot metallurgical plant
 4. Tankovyy Proyesd





C-O-N-F-I-D-E-N-T-I-A-L






Sanitized Copy Approved for Release 2010/06/29 : CIA-RDP80T00246A046800320001-7







Sanitized Copy Approved for Release 2010/06/29 : CIA-RDP80T00246A046800320001-7









C-O-N-F-I-D-E-N-T-I-A-L25X1 **-- 19 →**






Sheet Metal Shop



C-O-N-F-I-D-E-N-T-I-A-L

CENTRAL AUTOMOBILE REPAIR PLANT IN MOSCOW CHART SHOWING PERSONNEL ORGANIZATION



25X1 25X1 25X1 25X1

